

LUD 5353.5 DIV (10016355)**IN THE CLAIMS****A. Claim Amendments**

Claims 1-37. (Cancelled)

Claim 38: (Previously presented) An isolated nucleic acid molecule which encodes a tumor rejection antigen precursor, wherein the complementary sequence of said isolated nucleic acid molecule hybridizes to the nucleotide sequence set forth in SEQ ID NO: 13, 14 or 15 at 0.1XSSC, 0.1%SDS.

Claim 39: (Previously presented) An isolated nucleic acid molecule which encodes a fragment of a tumor rejection antigen precursor, wherein the complementary sequence of said isolated nucleic acid molecule hybridizes to the nucleotide sequence set forth in SEQ ID NO: 13, 14 or 15 at 0.1XSSC, 0.1%SDS.

Claim 40: (Previously presented) An isolated nucleic acid molecule which encodes a tumor rejection antigen, wherein the complementary sequence of said isolated nucleic acid molecule hybridizes to the nucleotide sequence set forth in SEQ ID NO: 13, 14 or 15 at 0.1XSSC, 0.1%SDS.

Claim 41: (Previously presented) An isolated cDNA molecule which encodes a tumor rejection antigen precursor, wherein the complementary sequence of said isolated nucleic acid molecule hybridizes to nucleotides 625-1578 of SEQ ID NO: 13, nucleotides 625-1578 or SEQ ID NO: 14, or nucleotides 1-670 of SEQ ID NO: 15, at 0.1XSS, 0.1%SDS.

Claim 42: (Previously presented) The isolated nucleic acid molecule of claim 38, wherein said nucleic acid molecule is cDNA.

Claim 43: (Previously presented) An isolated cDNA molecule which encodes a fragment of a tumor rejection antigen precursor, wherein said fragment is processed by cell to a tumor rejection antigen, wherein the complementary sequence of said isolated nucleic acid molecule hybridizes to nucleotides 625-1578 of SEQ ID No: 13,

LUD 5353.5 DIV (10016355)

nucleotides 625-1578 or SEQ ID NO: 14, or nucleotides 1-670 of SEQ ID NO: 15 at 0.1XSSC, 0.1%SDS.

- Claim 44: (Previously presented) An isolated cDNA molecule which encodes a tumor rejection antigen, said tumor rejection antigen consisting of an amino acid sequence that is part of a tumor rejection antigen precursor, wherein said tumor rejection antigen precursor is encoded by a nucleic acid molecule the complementary sequence of which hybridizes to nucleotides 625-1578 of SEQ ID NO: 13, nucleotides 625-1578 or SEQ ID NO: 14, or nucleotides 1-670 of SEQ ID NO: 15 at 0.1XSSC, 0.1% SDS.
- Claim 45: (Previously presented) The isolated nucleic acid molecule of claim 38, comprising SEQ ID NO: 13, 14 or 15.
- Claim 46: (Previously presented) An expression vector comprising the isolated nucleic acid molecule of claim 42, operably linked to a promoter.
- Claim 47: (Previously presented) An expression vector comprising the isolated nucleic acid molecule of claim 43, operably linked to a promoter.
- Claim 48: (Previously presented) An expression vector comprising the isolated nucleic acid molecule of claim 44, operably linked to a promoter.
- Claim 49: (Previously presented) A host cell transformed or transfected with the isolated nucleic acid molecule of claim 38.
- Claim 50: (Previously presented) A host cell transformed or transfected with the isolated nucleic acid molecule of claim 39.
- Claim 51: (Previously presented) A host cell transformed or transfected with the isolated nucleic acid molecule of claim 40.
- Claim 52: (Previously presented) The host cell of claim 49, wherein said cell is a fibroblast.

LUD 5353.5 DIV (10016355)

- Claim 53: (Previously presented) The host cell of claim 50, wherein said cell is a fibroblast.
- Claim 54: (Previously presented) The host cell of claim 51, wherein said cell is a fibroblast.
- Claim 55 (Previously presented) The host cell of claim 49, wherein said cell is a mammalian cell.
- Claim 56: (Previously presented) The host cell of claim 50, wherein said cell is a mammalian cell.
- Claim 57: (Previously presented) The host cell of claim 51, wherein said cell is a mammalian cell.
- Claim 58: (Previously presented) An isolated nucleic acid molecule which encodes a tumor rejection antigen precursor encoded by nucleotides 13, nucleotides 625-1578 or SEQ ID NO: 14, or nucleotides 1-670 of SEQ ID NO: 15.
- Claim 59. (Canceled)
- Claim 60. (Previously presented) An isolated nucleic acid molecule which encodes a tumor rejection antigen, the amino acid sequence of which consists of an amino acid sequence that is a part of the amino acid sequence encoded by nucleotides 13, nucleotides 625-1578 or SEQ ID NO: 14, or nucleotides 1-670 of SEQ ID NO: 15.
- Claim 61: (Previously presented) An isolated DNA molecule which encodes a MAGE-4 or MAGE-41 tumor rejection antigen precursor expressed by melanoma cells, comprising one of:
- (i) nucleotides 625-1575 of SEQ ID NO: 13;
  - (ii) nucleotides 625-1575 of SEQ ID NO: 14; or
  - (iii) nucleotides 1-670 of SEQ ID NO: 15.
- Claim 62. (Canceled)

LUD 5353.5 DIV (10016355)

- Claim 63. (Previously presented) The isolated nucleic acid molecule of claim 60, wherein said molecule is cDNA.
- Claim 64: (Previously presented) An isolated DNA molecule which encodes a MAGE-4 or MAGE-41 tumor rejection antigen precursor comprising one of:
- (i) nucleotides 625-1578 of SEQ ID NO: 13;
  - (ii) nucleotides 625-1578 of SEQ ID NO: 14; or
  - (iii) nucleotides 1-670 of SEQ ID NO: 15.
- Claim 65. (Previously Presented) An isolated genomic DNA molecule which encodes the protein encoded by the isolated genomic DNA molecule of claim 64.
- Claim 66: (Currently Amended) An isolated DNA molecule consisting of:
- (i) nucleotides 625-[1575]1578 of SEQ ID NO: 13;
  - (ii) nucleotides 625-[1575]1578 of SEQ ID NO: 14; or
  - (iii) nucleotides 1-670 of SEQ ID NO: 15.